UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/580,394	05/22/2006	Kyung Sang Cho	PHO0024US	1954	
23413 CANTOR COL	7590 03/02/201 BURN LLP	1	EXAMINER		
20 Church Stree	et	BREVAL, ELMITO			
22nd Floor Hartford, CT 06103			ART UNIT	PAPER NUMBER	
			2889		
			NOTIFICATION DATE	DELIVERY MODE	
			03/02/2011	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

usptopatentmail@cantorcolburn.com

	Application No.	Applicant(s)				
Office Action Summany	10/580,394	CHO ET AL.				
Office Action Summary	Examiner	Art Unit				
	ELMITO BREVAL	2889				
The MAILING DATE of this communication appo Period for Reply	ears on the cover sheet with the c	orrespondence ad	ldress			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on 21 De	ecember 2010					
·	action is non-final.					
<i>i</i>						
,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
·	,					
Disposition of Claims						
 4) Claim(s) 1-5 and 7-10 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-5 and 7-10 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 						
Application Papers						
9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National	Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Wall Date 11/22/2010.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P	ite				

DETAILED ACTION

Response to Amendment

The amendment filed on 12/21/2010 has been entered.

Response to Arguments

Applicant's arguments with respect to claims 1-5 and 7-10 have been considered but are most in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-2, 4-5 and 8-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bulovic et al., (US. Pub: 2004/0023010) of record in view of Jain et al., (US. Pat: 6,797,412) of record in further view of Chen et al., (US. Pub: 2004/0251824 A1).

Regarding claim 1, Bulovic ('010) teaches (in at least fig. 1; claim 20) a quantum dot light emitting device comprising: a top electrode (5); a bottom electrode (2) disposed substantially opposite the top electrode on the substrate (1); an inorganic quantum dot light emitting layer (not shown; [0027]) provided between the top electrode and the bottom electrode; and an electron transport layer (4) is disposed on the inorganic quantum dot light emitting layer and the top electrode (5) is formed on top of it; and an organic hole transport layer (3) is disposed between the inorganic quantum dot light emitting layer (not shown) and the bottom electrode (2), wherein the organic hole transport layer is made of material selected from the group consisting of TPD ([0029]).

However, Bulovic ('010) does not expressly disclose the electron transport layer is inorganic and the substrate is made of polyethyleneterephthalate or polycarbonate.

Further regarding claim 1, Jain ('412) teaches (in at least fig. 7) a quantum dot light emitting device comprised of, in part, an inorganic electron transport layer (col. 5, lines 56-59; i.e. the hole blocking layer) for the purpose of enhancing the electron injection to the light emitting device and to improve the luminance efficiency of the device, but silent about the substrate is made of polyethyleneterephthalate or polycarbonate.

However, it is well known in the art to form light emitting display device with substrates made of polyethyleneterephthalate or polycarbonate because of their high transparency and flexibility. For instance, Chen ('824) teaches (in at least fig. 2) a display device comprised of, in part, a substrate (14) wherein the substrate is made of polycarbonate ([0037]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the inorganic electron transport layer of Jain in the device of Bulovic for the purpose of enhancing the electron injection to the light emitting device and to improve the luminance efficiency of the device and to further modify with the polycarbonate substrate of Chen in order to have a device with good light transparency and flexibility.

Regarding claim 2, Bulovic ('010) as modified by Jain ('412) and Chen ('824) teaches (in at least fig. 1 of Bulovic) the quantum dot light-emitting diode further comprises: a substrate (1) disposed beneath the bottom electrode (2), wherein the organic hole transport layer (3; [0029]) is disposed on the bottom electrode (2), wherein the bottom electrode (2) is an anode and the top electrode (5) is a cathode, wherein the anode (2), the organic hole transport layer (3), the inorganic quantum dot light emitting layer (not shown in the fig. [0027]; see at least claim 20), the inorganic electron transport layer (see at least fig. 7 of Jain; item 34; col. 5, lines 56-59) and the cathode (5) are formed in this order on the substrate (1).

Regarding claim 4, Bulovic ('010) teaches (in paragraph [0033]) the inorganic quantum dot light emitting layer is made of a material selected from the group consisting of: group III-V compound nanocrystals including CdS, CdSe, ZnS, ZnTe, HgS, HgSe and HgTe.

Regarding claim 5, the limitation "inorganic electron transport layer is formed by a solution coating process selected from the group consisting of sol-gel coating, spin coating, printing casting and spraying, or a vapor coating process selected from the

group consisting of chemical vapor (CVD), sputtering, e-beam evaporation and vacuum deposition" is a product-by-process limitation. In spite of the fact a product-by-process may recite process limitations; it is the product not the recited process that is covered by the claim. Furthermore, patentability of a claim to a product does not rest merely in the difference in the method by which the product is made. Rather, it is the product itself which must be new and not obvious. It the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a difference process. In re Thorpe, 777 F. 2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985).

Regarding claim 8, Bulovic ('010) teaches (in paragraph [0033]) the inorganic quantum dot light emitting layer is made of a material selected from the group consisting of: group III-V compound nanocrystals including CdS, CdSe, ZnS, ZnTe, HgS, HgSe and HgTe.

Regarding claim 9, the limitation "inorganic electron transport layer is formed by a solution coating process selected from the group consisting of sol-gel coating, spin coating, printing casting and spraying, or a vapor coating process selected from the group consisting of chemical vapor (CVD), sputtering, e-beam evaporation and vacuum deposition" is a product-by-process limitation. In spite of the fact a product-by-process may recite process limitations; it is the product not the recited process that is covered by the claim. Furthermore, patentability of a claim to a product does not rest merely in the difference in the method by which the product is made. Rather, it is the product itself which must be new and not obvious. It the product in the product-by-process claim is

the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a difference process. In re Thorpe, 777 F. 2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985).

Claims 3 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bulovic et al., (US. Pub: 2004/0023010) of record in view of Jain et al., (US. Pat: 6,797,412) of record and Chen et al., (US. Pub: 2004/0251824) as applied to claims 1-2, 4-5, and 8-9 above in further view of Kishigami (JP: 2000-215984) of record.

Regarding claim 3, Bulovic ('010) as modified by Jain ('412) and Chen ('824) teaches all the claimed limitations except for the inorganic electron transport layer includes an oxide selected from group consisting of TiO2, ZnO, SiO2, SnO2, WO3, Ta2O3, BaTiO3, BaZrO3, ZrO2, HfO2, Al2O3, Y2O3, and ZrSiO4; the nitride Si3N4; or a semiconductor compound selected from the group consisting of CdS, ZnSe and ZnS.

However, Jain ('412) teaches (in col. 5, lines 54-59) the hole blocking (i.e. electron transport) can be achieved by thin layers of semiconductors or insulators such as Ta2O5, ZnxMg1-xS, ZnxBe1-xS, etc.. or their combination.

Kishigami ('984) teaches a light emitting device comprised of, in part, an inorganic electron transport layer made of materials selected from ZnO and CdS ([0028]) for the purpose of enhancing the electron injection to the light emitting device and to improve the luminance efficiency of the device.

At the time of invention, it would have been obvious to one of ordinary skill in the art to use the inorganic electron transport materials of Kishigami in place of the electron transport materials of Bulovic as modified by Jain and Chen for the purpose of

Application/Control Number: 10/580,394

Art Unit: 2889

enhancing the electron transportability to the light emitting layer and to improve the luminance efficiency of the device.

Regarding claim 7, Kishigami ('984) teaches (in [0028]) the inorganic electron material is selected from CdS, ZnO. The reason for combining is the same as for claim 3.

Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Bulovic et al., (US. Pub: 2004/0023010) of record in view of Kishigami (JP: 2000-215984) of record in further view of Chen et al., (US. Pub: 2004/0251824).

Regarding claim 10, Bulovic ('010) teaches (in at least fig. 1) a quantum dot light emitting device comprising: a top electrode (5); a bottom electrode (2) disposed substantially opposite the top electrode; an inorganic quantum dot light emitting layer (not shown; [0027]) provided between the top electrode and the bottom electrode; and an electron transport layer (4) is disposed on the inorganic quantum dot light emitting layer, and the top electrode is disposed on the electron transport layer.

However, Bulovic ('010) does not disclose the electron transport layer is inorganic; wherein the inorganic electron transport layer includes an oxide selected from group consisting of TiO2, ZnO, SiO2, SnO2, WO3, Ta2O3, BaTiO3, BaZrO3, ZrO2, HfO2, Al2O3, Y2O3, and ZrSiO4; the nitride Si3N4; or a semiconductor compound selected from the group consisting of CdS, ZnSe and ZnS.

Kishigami ('984) teaches (abstract) a light emitting device comprised of, in part, a luminescent layer (4), an inorganic electron transport layer (3) disposed between the luminescent layer (4) and a top electrode (2) on a substrate (7); wherein the electron

transport layer comprises a material selected from the group consisting of CdS and ZnO ([0028] for the purpose of enhancing the electron injection to the light emitting device and to improve the luminance efficiency of the device, but silent about the substrate is made of polyethyleneterephthalate or polycarbonate.

However, it is well known in the art to form light emitting display device with substrates made of polyethyleneterephthalate or polycarbonate because of their high transparency and flexibility. For instance, Chen ('824) teaches (in at least fig. 2) a display device comprised of, in part, a substrate (14) wherein the substrate is made of polycarbonate ([0037]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to contemplate of replacing the electron transport layer of Bulovic with the inorganic electron transport layer of Kishigami for the purpose of enhancing the electron injection to the light emitting device and to improve the luminance efficiency of the device and to further modify with the polycarbonate substrate of Chen in order to have a device with good light transparency and flexibility.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Mattoussi et al. npl "Electroluminescence from heterostructure of poly(phenylene vinylene) and inorganic CdSe nanocrystals" volume 83, number 12. Publication 23 march 1998).

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ELMITO BREVAL whose telephone number is (571)270-3099. The examiner can normally be reached on M-F (8:30 AM-5:00 Pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Toan Ton can be reached on (571)-272-2303. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/580,394 Page 10

Art Unit: 2889

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Bumsuk Won/ Primary Examiner, Art Unit 2889

February 15, 2011 /Elmito Breval/ Examiner, Art Unit 2889